


BLEnergyOverview

Setting the Precedent





We are founded by and part of a long-standing tradition of business integrity perfection and service to our customers





One of the leading public transportation in Israel



Public transportation operator in the Negev area







AUTO CHEN

Importer of minibuses and vans



The leading bus importer in Israel







One of the most best-selling EV brand in Israel in 2022









Leader integrator of energy storage systems





Exclusive representative of CATL for automotive battery service



INFY POWER

Supplier of charging systems for E-busses







Over 7 billion NIS in real estate assets & projects








Who we are

Optimal BESS Solution From A-Z



Market Leader

- Top Technology Solution based on world leader
 CATL's products
- **Top Service** Well trained and experienced team (from design to 20 years O&M)
- ESMS managing system for better integration,
 control and operation (propriety software)



Integration Scope

Smarter Integration. Faster Results. Better Care.

Key Factors for Successful Integration

 Ongoing communication CATL OSA Exclusive Integrator Years of Experience **Full Guarantee** Manpower Certified Engineers • All in-house RTE Internal development Usable AC **ESMS** Plug & Play **Availability** • Easier, Faster, Safer Top Tier Suppliers BOS Qualified Service Provider • Full System Interface


Full O&M

All Included

No small letters



Bankability & Reliability



Warranties & Guaranties

- ✓ Parent Company (Balilious Group) Guaranty
- ✓ Advance payment performance bond by a credited bank
- Performance bond remain till successful commissioning and takeover
- ✓ From takeover, make good warranty and guaranty
- ✓ LDs for performance and delays
- ✓ Warranties for performance parameters Capacity (Degradation curve), availability, RTE, SLA



Official Integrator & OSA of CATL

Thanks to our LTSA with globally renowned CATL, we offer the best value proposition with top tier BESS solutions






	EnerS	<u>EnerX</u>	EnerC+	EnerOne+
Configuration	4P8P104S	4P8P104S	5P8P104S	8P52S
Cell capacity [Ah]	565	530	306	306
Rated voltage [V]	1331	1331	1331.2	1331.2
Rated energy [MWh]	6.02	5.64	4.07	0.407
IP Rating	IP55	IP55	IP55	IP66
Product weight [T]	50	45	35	3.5
Dimensions [L*W*H] [mm]	6058 *2438*2896	6058 *2438*2896	6,058 *2,896*2,462	2,280 *1,300*1,300



Our ESMS - Just plug & Play

Together with our strategic partners, we developed our tailor made ESMS for robust performances and easy, effective commissioning process, adjusted to every market




Interfaces - Our ESMS can be adjusted according to the project specifications with time saving in terms of commissioning and on-site activity

Modularity - Adding features according to your demand

Flexibility - Development of integration suitable for market requirements

Documentation - An advanced monitoring portal for generating reports and graphs, fault detection and quick response, enhancing performances





Working with top developers

























EU Collaborations





Growth Channels

The global increasing demand for battery storage systems setting the ground for growth in various channels:

Development

Integration

~1 GWh (in RTB)

Our global *expansion* will be driven by our involvement in local and international projects and the creation of *innovative* ventures through *partnerships* with influential and strategic stakeholders.





Projects













